Latitude: 40.1727 Longitude: -122.2276 Highway Postmile: N/A Railroad Milepost: UPRR MP 222.82,

Valley Subdivision – Tracks cross Reeds Creek upstream of Sacramento River

Nearest Address and Thomas Guide #:

2 Rio Street

Red Bluff, CA 96080


Cell Service: Yes – Verizon tested

Driving Directions

From I-5, take Exit 649 onto Hwy 36/Antelope Blvd. Head west and cross over Sacramento River. Turn left (south) onto Main Street. Continue south for 0.35 miles and turn left (east) onto Willow Street. Follow Willow Street east into the park.

Unimproved boat launch and river shoreline access is located at the south end of the park. It is possible to launch shallow draft vessels into Sacramento River from river right shoreline.

Overview Street Map



Hazards, Restrictions and Advice for Responders

- The UPRR tracks cross over Reeds Creek, about 2,000 feet west of the Sacramento River.
- Vehicles can access the river right shoreline from the park.
- Restrooms are located on site.
- Park closes at 2200 hours.

Resources-At-Risk

Ecological: Least Bell's Vireo, Chinook Salmon – Central Valley Spring-run ESU, Chinook Salmon – Sacramento River Winter-run ESU, Steelhead – Central Valley DPS, Valley Elderberry Longhorn Beetle

Economic: Park and recreation, local tourism, fishing guide services.

Tribal: Contact the Native American Heritage Commission at (916) 373-3710.

Cultural and Historic: Contact the Northeast Information Center at (530) 898-6256.

Site Images

ESI Shoreline Type: Gravel bars and gently sloping banks (6A); Vegetated low



banks (9B).

(530) 528-1111



Photo Date: 9/17/2019

Upstream Downstream



Straight Across

RR = River Right RL = River Left

S

Site Objectives: Deflection/collection. Consider cascading boom set. Limit shoreline impacts.

Implementation: From the river left shoreline, deploy 1,400 feet of cascading swift water boom toward collection area on river right shoreline. Add additional 200 feet of boom for shoreline protection at collection area. Pump recovered product directly to vacuum truck on shore.

Staging Area Location and Capabilities/Amenities/Waste Management: Stage equipment and manage wastes in the county park parking area.

Response Strategy Map (overview)



Table of Response Resources					
Туре	Sub-Type	Size	Unit	QTY - Unit	Special Equipment or Comments
Boom	Swift Water Boom	6 in x 6 in	ft	1,600	Includes 200 feet of boom for shoreline protection at collection point.
Anchors	Danforth	25	lb	16	
Stakes				6	
Boat	Response and Boom Vessel			2	1 each, minimum.
Personnel				6 to 10 crew	2 vessel operators and 2 deckhands, minimum