


Latitude: 38.88379 Longitude: - 121.0599	Driving Directions
Highway Postmile: N/A	<p>From the West (Sacramento): On I-80 East take exit 119C, Elm Ave. Turn left onto Hwy 49 and proceed for 7 miles. Turn right on St. Florian Ct and proceed to State Parks Gate 155. Continue on road for 1.2 miles. Turn right on dirt road for 2 miles.</p> <p>From the East (Reno): On I-80 West take exit 119C, Elm Ave. Turn left onto Hwy 49 and proceed for 7 miles. Turn right on St. Florian Ct and proceed to State Parks Gate 155. Continue on road for 1.2 miles. Turn right on dirt road for 2 miles.</p>
Railroad Milepost: N/A	
Nearest Address and Thomas Guide #: N/A	
Cell Service: No	

Overview Street Map



Hazards, Restrictions and Advice for Responders

- Swift water during winter and spring flows
- Trip and fall hazards, slippery when icy or wet
- Locked gate and will need State Parks gate key #155
- Auburn Whitewater Park is located at this site
- This access is by dirt road only so condition will depend on weather
- Only 4wd vehicles and stake flatbed trucks

Resources-At-Risk

Ecological: Townsend's big-eared bat, Foothill Yellow-legged Frog

Economic: Auburn Whitewater Park, Rafting, PCWA Pump Station

Tribal: Contact the Native American Heritage Commission at (916)-373-3710.

Cultural and Historic: Contact the North Central Information Center at (916)-278-5162.

Site Description and Field Notes

River Width: 60 meters
(197 ft)

Gradient: Low

Site Contact/s:

Auburn State Recreation
Area (916) 358-1300

PCWA Power
(530) 367-2291

Site Location/Segment: AME-PL-H-005

Property managed by State Parks, PCWA, and PG&E with locked gate.

Vehicular Access: 4WD/Pick up, Stake flatbed truck only

Recreational Use: Rafting, hiking

Boat Launches: Launch inflatable or kayak from shoreline

ESI Shoreline Type: Exposed rocky banks (1A), riprap (6B), vegetated, steeply sloping bluffs (8F)

Site Images



Upstream



Downstream



Straight Across

RR = River Right RL = River Left

Photo Date: 11/2/2018

Site Objectives: Collection and ability to access from river left. Site can also provide foot access for placing boom and sorbents.

Implementation: Assist with deploying boom river-left to river-right into existing canal.

Staging Area Location and Capabilities/Amenities/Waste Management: Some grassy area for staging of boom equipment and absorbents.

Response Strategy Map (overview)



Table of Response Resources

Type	Sub-Type	Size	Unit	QTY - Unit	Special Equipment or Comments
Boom	Sorbent	5 to 8	in	1200 ft	5 inches for light oiling, 8 inches for heavier oiling.
Boom	Swift Water	8 to 12	in	600 ft	
Boom Deflectors				3	
Anchors	Danforth	40	lb	6	
Gear Pump				1	
Vacuum Truck		70	bbl	1	
Skimmer	Disc or Drum			1	
Storage Totes		5,000	gal	4	
Boat	Inflatable, aluminum, kayak			2	
Pads and Sweep	Sorbent		bales	40	
Personnel	Boat and Shoreline			6 to 12-person crew	