

Fall Midwater Trawl Publication Bibliography

Updated 10/2021 J. White

- Arnold J, Foss S, Miller L. 1997. Young striped bass. IEP Newsletter. 10(2):43–44.
- Arnold J, Miller L. 1997. American shad. IEP Newsletter. 10(2):42–43.
- Bauer M. 2010. An ecosystem model of the Sacramento-San Joaquin Delta and Suisun Bay, California USA. [Masters Thesis]. [Chico, CA]: California State University of Chico.
- Baxter R. 1996. Splittail and longfin smelt. IEP Newsletter. 9(1):28–29.
- Baxter R. 1997. Splittail and longfin smelt abundance. IEP Newsletter. 10(2):35.
- Baxter R. 1999. Splittail and longfin smelt abundance. IEP Newsletter. 12(2):28–30.
- Baxter R. 2000. Splittail and longfin smelt. IEP Newsletter. 13(2):19–21.
- Baxter R. 2001. Splittail and longfin smelt. IEP Newsletter. 14(2):16–18.
- Baxter R, Breuer R, Brown L, Conrad L, Feyrer F, Fong S, Gehrts K, Grimaldo L, Herbold B, Hrodey P, et al. 2010. Interagency Ecological Program 2010 Pelagic Organism Decline Work Plan and Synthesis of Results. Interagency Ecological Program for the San Francisco Estuary. <http://www.water.ca.gov/iep/docs/FinalPOD2010Workplan12610.pdf>.
- Bennett W. 1995. Potential effects of exotic inland silversides on delta smelt. IEP Newsletter. 4:4–6.
- Bennett W. 2005. Critical assessment of the delta smelt population in the San -Francisco Estuary, California. San Francisco Estuary and Watershed Science. 3(2):1–71. doi:[10.15447/sfews.2005v3iss2art1](https://doi.org/10.15447/sfews.2005v3iss2art1).
- Bever A, MacWilliams M, Herbold B, Brown L, Feyrer F. 2016. Linking Hydrodynamic Complexity to Delta Smelt (*Hypomesus transpacificus*) Distribution in the San Francisco Estuary, USA. San Francisco Estuary and Watershed Science. 14(1). doi:[10/gkm465](https://doi.org/10/gkm465).
- Bryant M, Souza K. 2004. Summer Townet survey and Fall Midwater Trawl survey status and trends. IEP Newsletter. 17(2):14–17.
- Cavallo B, Merz J, Turner C, Bergman P. 2009. Review of delta smelt and longfin smelt monitoring program at Contra Costa and Pittsburg Power Plants.
- Collins B. 1982. Growth of adult striped bass in Sacramento-San Joaquin Estuary. California Fish and Game. 68(3):146–160.
- Department of Fish and Game. 1987. Factors affecting striped bass abundance in the Sacramento-San Joaquin River system. Exhibit 25, entered by the California Department of Fish and Game for the State Water Resources Control 1987 Water Quality/Water RIghts Proceeding on the San Francisco Bay and Sacramento-San Joaquin Delta. Report No.: 20.

Feyrer F, Newman K, Nobriga M, Sommer T. 2011. Modeling the Effects of Future Outflow on the Abiotic Habitat of an Imperiled Estuarine Fish. *Estuaries and Coasts*. 34(1):120–128. doi:[10.1007/s12237-010-9343-9](https://doi.org/10.1007/s12237-010-9343-9).

Feyrer F, Nobriga ML, Sommer TR. 2007. Multidecadal trends for three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, USA. *Can J Fish Aquat Sci*. 64(4):723–734. doi:[10.1139/f07-048](https://doi.org/10.1139/f07-048).

Feyrer F, Sommer T, Slater SB. 2009. Old School vs. New School: Status of Threadfin Shad (*Dorosoma petenense*) Five Decades After Its Introduction to the Sacramento–San Joaquin Delta. *San Francisco Estuary and Watershed Science*. 7(1). doi:[10.15447/sfews.2009v7iss1art3](https://doi.org/10.15447/sfews.2009v7iss1art3). <https://escholarship.org/uc/item/4dt6p4bv>.

Fish M, Contrearras D, Afentoulis V, Messineo J, Hieb K. 2009. 2008 fishes annual status and trends report for the San Francisco Estuary. *IEP Newsletter*. 22(2):17–36.

Fish M, Hieb K, Contrearras D, Afentoulis V, Messineo J. 2008. 2007 fishes and annual status and trends report for the San Francisco Estuary. *IEP Newsletter*. 21(2):29–49.

Fleming K. 2003. Fall Midwater Trawl and the delta smelt recovery criteria. *IEP Newsletter*. 16(1):5.

Foott J, Stone R. 2000. Histological Evaluation and Viral Survey of Juvenile Longfin Smelt (*Spirinchus thaleichthys*) and Threadfin Shad (*Dorosoma petenense*) collected from the Sacramento – San Joaquin River Delta, April – November 2007. California Nevada Fish Health Center FY2007 Investigational Report. [http://www.fws.gov/canvfhc/Reports/Sacramento%20and%20San%20Joaquin%20River/Foott,%20J.Scott%20and%20R.%20Stone,%202008.%20%20Histological%20Evaluation%20and%20Viral%20Survey%20of%20Juvenile%20Longfin%20Smelt%20\(Spirinchus%20thaleichthys\)%20and%20Threadfin%20Shad%20\(D.pdf](http://www.fws.gov/canvfhc/Reports/Sacramento%20and%20San%20Joaquin%20River/Foott,%20J.Scott%20and%20R.%20Stone,%202008.%20%20Histological%20Evaluation%20and%20Viral%20Survey%20of%20Juvenile%20Longfin%20Smelt%20(Spirinchus%20thaleichthys)%20and%20Threadfin%20Shad%20(D.pdf).

Gartz R. 1999a. Density dependent growth and diet changes in young-of-the-year striped bass (*Morone saxatilis*) in the Sacramento-San Joaquin Delta. *IEP Newsletter*. 12:22–24.

Gartz R. 1999b. Fall Midwater Trawl survey. *IEP Newsletter*. 12(4):4.

Gartz R. 2000a. Fall Midwater Trawl survey. *IEP Newsletter*. 13(1):5–6.

Gartz R. 2000b. Monitoring the distribution and migration of delta smelt (*Hypomesus transpacificus*): Are additional midwater trawl stations useful? *IEP Newsletter*. 13(3):31–36.

Gartz R. 2000c. Young-of-the-year striped bass, American shad and threadfin shad abundance and distribution. *IEP Newsletter*. 13(2):38–41.

Gartz R. 2001. Fall Midwater Trawl. *IEP Newsletter*. 14(1):8–9.

Gartz R. 2004. Length-Weight Relationships for 18 Fish Species Common to the San Francisco Estuary. *IEP Newsletter*. 17(2):49–57.

Gartz R, Foss S, Miller L. 1999. Striped bass and American shad abundance. *IEP Newsletter*. 12(2):42–45.

Greiner T, Fish M, Slater S, Hieb K, Budrick J, Dubois J, Contreras D. 2007. 2006 fishes annual status and trends report for the San Francisco Estuary. IEP Newsletter. 20(2):22–40.

Greiner T, Hieb K, Slater S, Standford M. 2006. 2005 fishes annual status and trends report for the San Francisco Estuary. IEP Newsletter. 19(2):16–32.

Grimaldo L, Sommer T, Ark N, Jones G, Holland E, Moyle P, Herbold B, Smith P. 2019. Factors Affecting Fish Entrainment into Massive Water Diversions in a Tidal Freshwater Estuary: Can Fish Losses be Managed? North American Journal of Fisheries Management. 29(5):1253–1270. doi:[10/bhgv6h](https://doi.org/10/bhgv6h).

Gross ES, Korman J, Grimaldo LF, MacWilliams ML, Bever AJ, Smith PE. 2021. Modeling Delta Smelt Distribution for Hypothesized Swimming Behaviors. San Francisco Estuary and Watershed Science. 19(1):25. doi:[10/gkzpz8](https://doi.org/10/gkzpz8).

Hartman R, Bashevkin S, Barros A, Burdi C, Patel C, Sommer T. 2021. Food for Thought: Connecting Zooplankton Science to Management in the San Francisco Estuary. San Francisco Estuary and Watershed Science. 19(3). doi:[10/gmxn23](https://doi.org/10/gmxn23).

Herbold B. 1994. Habitat requirements of delta smelt. IEP Newsletter. 1:1–3.

Hieb, Bryant M, Dege M, Greiner T, Souza K, Slater S. 2005. Fishes in the San Francisco Estuary, 2004 status and trends. IEP Newsletter. 18(2):19–36.

Hobbs J, Lewis L, Ikemiyagi N, Sommer T, Baxter R. 2010. The use of otolith strontium isotopes ($^{87}\text{Sr}/^{86}\text{Sr}$) to identify nursery habitat for a threatened estuarine fish. Environ Biol Fish. 89(3):557–569. doi:[10/dgqtp](https://doi.org/10/dgqtp).

Hobbs J, Lewis L, Willmes M, Denney C, Bush E. 2019. Complex life histories discovered in a critically endangered fish. Scientific Reports. 9(1):16772. doi:[10/ghc49g](https://doi.org/10/ghc49g).

Honey K, Baxter R, Hymanson Z, Sommer T, Gingras M, Cadrett P. 2004. IEP long-term fish monitoring program element review. California Department of Water Resources. http://www.water.ca.gov/iep/docs/IEP_FishMonitoring_final.pdf.

Interagency Ecological Program, Management, Analysis, and Synthesis Team. 2015. An updated conceptual model of Delta Smelt biology: our evolving understanding of an estuarine fish. San Francisco Bay/Delta Estuary: Interagency Ecological Program for the San Francisco Estuary Report No.: 90. https://www.usbr.gov/mp/nepa/includes/documentShow.php?Doc_ID=23703.

Israel J, Fisch K, Turner T, Waples R. 2011. Conservation of Native Fishes of the San Francisco Estuary: Considerations for Artificial Propagation of Chinook Salmon, Delta Smelt, and Green Sturgeon. San Francisco Estuary and Watershed Science. 9(1):1–22. doi:[10.15447/sfews.2011v9iss1art6](https://doi.org/10.15447/sfews.2011v9iss1art6).

Jassby A, Kimmerer W, Monismith S, Armor C, Cloern JE, Powell T, Schubel J, Vendliniski T. 1995. Isohaline Position as a Habitat Indicator for Estuarine Populations. Ecological Applications. 5(1):272–289. doi:[10/c4mvhk](https://doi.org/10/c4mvhk).

Kimmerer W. 1997. Flow effects and density dependence in striped bass. IEP Newsletter. 10(4):11–15.

- Kimmerer W. 1998. A summary of the current state of the X2 relationships. IEP Newsletter. 11(4):14–25.
- Kimmerer W. 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? Marine Ecology Progress Series. 243:39–55. doi:[10/cqdv3n](https://doi.org/10.1007/s12237-002-0039-5).
- Kimmerer W. 2006. Response of anchovies dampens effects of the invasive bivalve *Corbula amurensis* on the San Francisco Estuary foodweb. Marine Ecology Progress Series. 324:207–218. doi:[10/dvmtbn](https://doi.org/10.1007/s12237-006-0207-1).
- Kimmerer W, Cowan Jr JH, Miller L, Rose K. 2000. Analysis of an estuarine striped bass (*Morone saxatilis*) population: influence of density-dependent mortality between metamorphosis and recruitment. Can J Fish Aquat Sci. 57(2):478–486. doi:[10.1139/f99-273](https://doi.org/10.1139/f99-273).
- Kimmerer W, Gross E, MacWilliams M. 2009. Is the Response of Estuarine Nekton to Freshwater Flow in the San Francisco Estuary Explained by Variation in Habitat Volume? Estuaries and Coasts. 32(2):375–389. doi:[10.1007/s12237-008-9124-x](https://doi.org/10.1007/s12237-008-9124-x).
- Kimmerer WJ. 2011. Modeling Delta Smelt Losses at the South Delta Export Facilities. San Francisco Estuary and Watershed Science. 9(1). doi:[10.15447/sfews.2011v9iss1art3](https://doi.org/10.15447/sfews.2011v9iss1art3).
<https://escholarship.org/uc/item/0rd2n5vb>.
- Kimmerer WJ, Cowan JH, Miller LW, Rose KA. 2001. Analysis of an estuarine striped bass population: Effects of environmental conditions during early life. Estuaries. 24(4):557–575. doi:[10/cj9ff7](https://doi.org/10.2307/3547777).
- Lott J. 1998. Feeding habits of juvenile and adult delta smelt from the Sacramento-San Joaquin River Estuary. IEP Newsletter. 11(1):14–19.
- MacNally R, Thomson JR, Kimmerer WJ, Feyrer F, Newman KB, Sih A, Bennett WA, Brown L, Fleishman E, Culbertson SD, et al. 2010. Analysis of pelagic species decline in the upper San Francisco Estuary using multivariate autoregressive modeling (MAR). Ecological Applications. 20(5):1417–1430. doi:[10/dgm43f](https://doi.org/10.1890/1051-0761(2010)20[1417:AOPELD]2.0.CO;2).
- Manly B, Chotkowski M. 2006. Two new methods for Regime Change Analyses. Archive of Hydrobiology. 167:593–607. doi:[10.1127/0003-9136/2006/0167-0593](https://doi.org/10.1127/0003-9136/2006/0167-0593).
- Meng L, Moyle P. 1995. Status of Splittail in the Sacramento–San Joaquin Estuary. Transactions of the American Fisheries Society. 124(4):538–549. doi:[10.1577/1548-8659\(1995\)124<0538:SOSITS>2.3.CO;2](https://doi.org/10.1577/1548-8659(1995)124<0538:SOSITS>2.3.CO;2).
- Messineo J. 2008. Update on the midwater trawl mouth geometry evaluation. IEP Newsletter. 21(4):13.
- Messineo J, Fish M, Contreras D, Hieb K, Afentoulis V. 2009. Fishes annual status and trends report for the San Francisco Estuary. IEP Newsletter. 23(2):49–72.
- Miller L. 1990. Striped bass midwater trawl index. IEP Newsletter. 2:6.
- Miller L. 1996. Low striped bass, high American shad Fall midwater Trawl survey indices. IEP Newsletter. 9(1):3.
- Miller L. 1997. Fall Midwater Trawl survey. IEP Newsletter. 10(4):4.

- Miller L. 1998. Fall Midwater Trawl survey results. IEP Newsletter. 11(1):4.
- Miller L. 2000. The Tow-net survey abundance index for delta smelt revisited. IEP Newsletter. 13(1):37–44.
- Miller W. 2011. Revisiting Assumptions that Underlie Estimates of Proportional Entrainment of Delta Smelt by State and Federal Water Diversions from the Sacramento-San Joaquin Delta. San Francisco Estuary and Watershed Science. 9(1):1–26. doi:[10.15447/sfews.2011v9iss1art2](https://doi.org/10.15447/sfews.2011v9iss1art2).
- Moyle P, Baxter R, Sommer T, Foin T, Matern S. 2004. Biology and Population Dynamics of Sacramento Splittail (*Pogonichthys macrolepidotus*) in the San Francisco Estuary: A Review. San Francisco Estuary and Watershed Science. 2(2):1–47. doi:[10.15447/sfews.2004v2iss2art3](https://doi.org/10.15447/sfews.2004v2iss2art3).
- Moyle P, Brown L, Durand J, Hobbs J. 2016. Delta Smelt: Life History and Decline of a Once-Abundant Species in the San Francisco Estuary. San Francisco Estuary and Watershed Science. 14(2). doi:[10/ghc49j](https://doi.org/10/ghc49j). <https://escholarship.org/uc/item/09k9f76s>.
- Moyle P, Herbold B, Stevens D, Miller L. 1992. Life History and Status of Delta Smelt in the Sacramento-San Joaquin Estuary, California. Transactions of the American Fisheries Society. 121(1):67–77. doi:[10.1577/1548-8659\(1992\)121<0067:LHASOD>2.3.CO;2](https://doi.org/10.1577/1548-8659(1992)121<0067:LHASOD>2.3.CO;2).
- Murphy DD, Weiland PS. 2019. The low-salinity zone in the San Francisco Estuary as a proxy for delta smelt habitat: A case study in the misuse of surrogates in conservation planning. Ecological Indicators. 105:29–35. doi:[10/gkzpz6](https://doi.org/10/gkzpz6).
- Newman KB. 2008. Sample Design-based Methodology for Estimating Delta Smelt Abundance. San Francisco Estuary and Watershed Science. 6(3). doi:[10.15447/sfews.2008v6iss3art3](https://doi.org/10.15447/sfews.2008v6iss3art3). <https://escholarship.org/uc/item/99p428z6>.
- Nobriga ML, Smith WE. 2020. Did a Shifting Ecological Baseline Mask the Predatory Effect of Striped Bass on Delta Smelt? San Francisco Estuary and Watershed Science. 18(1). doi:[10/gkzpz7](https://doi.org/10/gkzpz7). <https://escholarship.org/uc/item/46f3j55m>.
- Orsi J. 1996. Young striped bass. IEP Newsletter. 9(1):36–37.
- Poage V. 2004. Why we do a “post-vamp shoulder” for delta smelt. IEP Newsletter. 17(2):44–49.
- Rose KA, Kimmerer WJ, Edwards KP, Bennett WA. 2013. Individual-Based Modeling of Delta Smelt Population Dynamics in the Upper San Francisco Estuary: I. Model Description and Baseline Results. Transactions of the American Fisheries Society. 142(5):1238–1259. doi:[10/gkzpz7](https://doi.org/10/gkzpz7).
- Rosenfield J, Baxter R. 2007. Population Dynamics and Distribution Patterns of Longfin Smelt in the San Francisco Estuary. Transactions of the American Fisheries Society. 136(6):1577–1592. doi:[10.1577/T06-148.1](https://doi.org/10.1577/T06-148.1).
- Sommer T, Armor C, Baxter R, Breuer R, Brown L, Chotkowski M, Culberson S, Feyrer F, Gingras M, Herbold B, et al. 2007. The Collapse of Pelagic Fishes in the Upper San Francisco Estuary: El Colapso de los Peces Pelagicos en La Cabecera Del Estuario San Francisco. Fisheries. 32(6):270–277. doi:[10/d2qrf5](https://doi.org/10/d2qrf5).

Sommer T, Baxter R, Herbold B. 1997. Resilience of Splittail in the Sacramento–San Joaquin Estuary. *Transactions of the American Fisheries Society*. 126(6):961–976. doi:[10.1577/1548-8659\(1997\)126<0961:ROSITS>2.3.CO;2](https://doi.org/10.1577/1548-8659(1997)126<0961:ROSITS>2.3.CO;2).

Sommer T, Mejia F. 2013. A Place to Call Home: A Synthesis of Delta Smelt Habitat in the Upper San Francisco Estuary. *San Francisco Estuary and Watershed Science*. 11(2). doi:[10/gkzp2b](https://doi.org/10/gkzp2b). <https://escholarship.org/uc/item/32c8t244>.

Sommer TR, Mejia FH, Nobriga ML, Feyrer F, Grimaldo L. 2011. The Spawning Migration of Delta Smelt in the Upper San Francisco Estuary. *San Francisco Estuary and Watershed Science*. 9(2):17.

Souza K. 2001. Fall Midwater Trawl survey. *IEP Newsletter*. 14(2):27–29.

Souza K. 2002a. Fall Midwater Trawl survey. *IEP Newsletter*. 15(1):5.

Souza K. 2002b. Revision of California Department of Fish and Game’s Spring Midwater Trawl and results of the 2002 Spring Kodiak Trawl. *IEP Newsletter*. 15(3):44–47.

Souza K, Bryant M. 2002. Townet survey and Fall Midwater Trawl survey. *IEP Newsletter*. 15(2):21–24.

Souza K, Bryant M. 2003. Summer Townet survey and Fall Midwater Trawl survey. *IEP Newsletter*. 16(2):37–39.

Stevens D, Miller L. 1983. Effects of River Flow on Abundance of Young Chinook Salmon, American Shad, Longfin Smelt, and Delta Smelt in the Sacramento-San Joaquin River System. *North American Journal of Fisheries Management*. 3(4):425–437. doi:[10.1577/1548-8659\(1983\)3<425:EORFOA>2.0.CO;2](https://doi.org/10.1577/1548-8659(1983)3<425:EORFOA>2.0.CO;2).

Stompe DK, Moyle PB, Kruger A, Durand JR. 2020. Comparing and Integrating Fish Surveys in the San Francisco Estuary: Why Diverse Long-Term Monitoring Programs are Important. *San Francisco Estuary and Watershed Science*. 18(2). doi:[10/ghc49h](https://doi.org/10/ghc49h). <https://escholarship.org/uc/item/0b91527k>.

Sweetnam D. 1996. Delta smelt. *IEP Newsletter*. 9(1):22–26.

Sweetnam D. 1997. Delta smelt investigations. *IEP Newsletter*. 10(2):32–34.

Tamburello N, Connors BM, Fullerton D, Phillis CC. 2019. Durability of environment–recruitment relationships in aquatic ecosystems: insights from long-term monitoring in a highly modified estuary and implications for management. *Limnology and Oceanography*. 64(S1):S223–S239. doi:[10/gfj285](https://doi.org/10/gfj285).

Tempel T, Malinich T, Burns J, Barros A, Burdi C, Hobbs J. 2021. The value of long-term monitoring of the San Francisco Estuary for Delta Smelt and Longfin Smelt. *California Fish and Wildlife Journal*. (CESA Special Issue):148–171. doi:[10/gk55qp](https://doi.org/10/gk55qp).

Thomson J, Kimmerer W, Brown L, Newman K, Mac Nally R, Bennett W, Feyrer F, Fleishman E. 2010. Bayesian change-point analysis of abundance trends for pelagic fishes of the upper San Francisco Estuary. *Ecological Applications*. 20(5):1431–1448. doi:[10.1890/09-0998.1](https://doi.org/10.1890/09-0998.1).

Tobias VD. 2021. Simulated Fishing to Untangle Catchability and Availability in Fish Abundance Monitoring. San Francisco Estuary and Watershed Science. 19(3). doi:[10/gmxn24](https://doi.org/10/gmxn24).

United States Bureau of Reclamation. 2004. Long-term Central Valley Project and State Water Project operations criteria and plan biological assessment. Sacramento, CA: United States Bureau of Reclamation.

U.S. Fish and Wildlife Service. 1995. Sacramento-San Joaquin Delta Native Fishes Recovery Plan. Portland, Oregon: U.S. Fish and Wildlife Service.

Winternitz L. 1995. Delta smelt October Midwater Trawl survey results. IEP Newsletter. 4:11.

Winternitz L, Sweetnam D, Baxter R. 1996. Delta smelt and splittail activities. IEP Newsletter. 9(1):4.